## IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: U.S. Patent No. 7,200,679

USPTO CONFIRMATION CODE: 7536

APPLICATION NO.: 10/068,779

FILED: February 05, 2002

EXAMINER: Bunjob Jaroenchonwanit

GROUP ART UNIT: 2152

FOR: CREATING DISTRIBUTED PROXY CONFIGURATIONS

## 37 CFR 1.322 & 37 CFR 1.323 REQUEST FOR CERTIFICATE OF CORRECTION FOR USPTO MISTAKE

## HONORABLE COMMISSIONER OF PATENTS & TRADEMARKS

SIR:

The following is a request for a certificate of correction in Serial Number 10/068,779, now Patent Number 7,200.679.

A certificate of correction under 35 USC 254 is respectfully requested in the above-identified patent.

All errors were the fault of the USPTO, no fee required. In the event that a further fee is required, please charge the amount to our Deposit Account No. 50-1379.

The exact locations where the errors appear in the patent and patent application are as follows:

On the Face Page, Field (75), under "Inventors", in Column 1, Line 1, delete "Stockholm (SE)" and insert -- Sydney (AU) --, therefor. (OATH OR DECLARATION, DATED MAY 06, 2002, PAGE 1 OF 2, UNDER "INVENTOR 1")

In Column 11, Line 5, in Claim 1, delete "oath" and insert - - path - -, therefor.
(AMENDMENTS TO THE CLAIM DATED SEPTEMBER 08, 2006, PAGE 3 of 14. IN CLAIM 1, LINE 8)

In Column 11, Line 37, in Claim 5, after "PEE server" insert - - , the request being - -. (NOTICE OF ALLOWANCE DATED NOVEMBER 28, 2006, UNDER "EXAMINER'S AMENDMENT", PAGE 3, LINE 3)

The requested corrections are attached on Form PTO 1050.

Respectfully Submitted

December 7, 2007 /Sidney L. Weatherford, Reg #45602/

DATE Sidney L. Weatherford Registration No. 45602

Attorney of Record

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number
(Also Form PTO-109)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page	l of l

PATENT NO. : 7,200,679 B2 APPLICATION NO. : 10/068,779

ISSUE DATE : April 3, 2007

INVENTOR(S) : Biorn Landfeldt et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Face Page, Field (75), under "Inventors", in Column 1, Line 1, delete "Stockholm (SE)" and insert - - Sydney (AU) - -, therefor.

In Column 11, Line 5, in Claim 1, delete "oath" and insert - - path - -, therefor.

In Column 11, Line 37, in Claim 5, after "PEE server" insert - - , the request being - -.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

6300 Legacy, MS EVR 1-C-11 Plano, TX 75024 972-583-8656

This collection of information is required by 37 CFR 1.322, and 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to like (and by the USPFO) to process in application. Confidentially is governed by 50 U.S. C.12 and 75 CFR 1.14. This collection is estimate to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. The will vary depending upon the individual case. Any comments on the amount of time you require to complete in form and/or suggestions for reducing this budden, should be seen to the Chief Individual Case. Any Patent and Trademark Office, U.S. Department of commerce, P.O. Box 1450, Alexandru, V. 22313-1450, DD NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS SEND TO Attention Certificate of Corrections Stranch, Commissioner for Patentine, P.O., Box 1450, Alexandru, V. 22313-1450.